

Validity check of document

Zagreb, **29.05.2025****Analytical Report No. AR-25-U6-020635-01**

Sample: A01-2025-00027937 1 % METHYLENE BLUE - 30 ML

Client: HEILTROPFEN LAB, d.o.o., Borovci 64, 2281 Markovci, SLOVENIA

Sample delivered: 23.05.2025

Analysis started: 23.05.2025

Analysis finished: 28.05.2025

Analysis: Metals and non-metals

Head of Laboratory
Goran Stuhne, dipl. ing. kemije



This analytical report refers solely to the above described sample, which arrived on the specified date, and under the designated label. Unauthorized mention display of the name Eurofins Croatiakontrola d.o.o. for marketing purposes is strictly forbidden. Conclusion, declaration of conformity, declarations of classification are in the field of accreditation if they relate to the examined parameters by the methods covered by the field of accreditation.

Only analytical reports containing the certified Eurofins Croatiakontrola d.o.o. stamp may be regarded as public documents (OB PO 78/1/Edition 4).

Commercial Court in Zagreb
Share capital: 717.472,96 € paid in full
Registry number: 3710661
OIB: 50024748563
VAT: HR50024748563
Executive manager: Drago Cota

IBAN: HR08 2360 0001 1016 1642 2
Zagrebačka banka d.d. SWIFT ZABAH2X



Analytical Report No.: **AR-25-U6-020635-01**

Zagreb, **29.05.2025**

Conclusion: A01-2025-00027937
Regarding tested parameters tested sample complies with Commission Regulation (EU) 2023/915 on maximum levels for certain contaminants in food and repealing Regulation (EC) No 1881/2006.

Decision Rule: A01-2025-00027937
Rule of safe rejection

Concluded by: Marija Žigmundić

Approved by: Marija Žigmundić

Analytical Report No.: **AR-25-U6-020635-01**Zagreb, **29.05.2025**

Analysis Result

A01-2025-00027937**1 % METHYLENE BLUE - 30 ML**

Sample delivered time:

23.05.2025.

Sampler:

Client

Number of Flasks / Packaging:

1

Sample description:

Sample delivered in original packaging, properly labeled and in good condition; in a quantity sufficient for analyses.

Analytical Report No.: **AR-25-U6-020635-01**

Zagreb, **29.05.2025**

Metals and non-metals

Parameter	Result	MU	Unit	Estimated value	Limit	Complies	Method
*F Arsenic (As, total)	<0.01		mg/kg		≤ 0.5	Yes	Internal method RU-MET-309 Edition 1
*F Lead (Pb)	<0.01		mg/kg		≤ 3	Yes	Internal method RU-MET-309 Edition 1
*F Cadmium (Cd)	<0.01		mg/kg		≤ 1	Yes	Internal method RU-MET-309 Edition 1
*F Mercury (Hg, total)	<0.01		mg/kg		≤ 0.1	Yes	Internal method RU-MET-309 Edition 1

Remarks

* – Methods covered by the scope of accreditation

** – Analyzed in an external authorized laboratory

*F – Flexible scope of accreditation

Limit – Minimum and maximum allowed quantity

MU – Measured uncertainty is displayed on request of client and for the result above the legal limit

LOQ – Limit of quantification

Analytical Report No.: **AR-25-U6-020635-01**

Zagreb, **29.05.2025**